

Leica Viva Smartpole





Description

- TCRP1203+ R400, total st. with EDM/ATR/PS
- GS12 GNSS SmartAntenna
- CS15 3.5G/Radio Field Controller
- RH15, RadioHandle Occ.
- GEB221 Battery int. Li-Ion 7.4V/4400mAh
- GDF311 Tribrach without optical plummet
- MCF256, CompactFlash card 256 MB
- GKL221 Charger PRO
- AC power cable 2-pole EU, to charger
- GRZ122, 360° Reflector
- GEB212 Battery internal Li-Ion 2600mAh
- GHT63 Pole clamp for attaching GHT
- GHT62 Holder plate for CS field contr.
- GVP656, Viva GNSS 12 container
- GEV234, Data cable Lemo-USB A 1.65m
- USED GAD104 SmartAntenna Adapter
- MSD1000, SD memory card 1GB
- GAD31 screw-to-stub adapter antenna

INSPECTED
CERTIFIED
GUARANTEED

Leica
Geosystems

Fully serviced, certified and comes with 6 months warranty for both parts and labour.

Warranties are not transferable and customers are responsible for any warranty handling, custom and shipment costs. Visit our website for details on delivery and export details.

How to order.

To buy please contact us and we will get straight back to you to arrange payment and delivery.

